



Welcome to DIVYA Control Elements Pvt. Ltd.

Manufacturers & Exporters of:

- Stainless Steel Air Filter Regulator
- Air Lock
- Volume Booster
- Moisture Separator
- Filter Regulator Lubricator (FRL)

Stainless Steel Series

- Experience spanning over 4 decades

Performance Reviews / Features:

Model: SFRJN (SS)



• CREDENTIALS

In fact, the consumption / requirement of Air Sets has gone down by about 40 percent due to the better performance, Quality and long life of “Vishal” Air Sets

ADDL GENERAL MANAGER (INST)

GUJARAT STATE FERTILIZERS, GSFC, Vadodara

Issued: 20.04.2000

• FEATURES

- Stainless Steel for Corrosive, Offshore applications
- Price Competitive & Quality Workmanship
- Filter cum Regulator unit with Relief Valve (IRV)
- Various Filter Sizes available
- Different Mounting Options including Pipe Mounting available
- **Orifice expandable to deliver High Flow**
- AFR can be customized as per Client Requirements

Our Esteemed Clients:



INSTRUMENTATION LTD.,
PALAKKAD



- **AFR Specifications Std Series**

Ensures Optimum Performance:

The Vishal Air Set is a combined filter cum regulator unit with an Appreciable Capacity (Typical case: at 125 psig Inlet Pr & Outlet Pr set @ 60 psig, Flow of 100 scfm with droop within 10% of set point)

Specifications: Stainless Steel for Robust use & Corrosive Applications

Medium: Inst Air / N₂ / Natural Gas; Design Pr: 18 Kg/cm² (250 Psig)

Secondary Pressure Range: 0-2.1; 0-4.2; 0-7; 0-10 Kg/cm² (Adjustable)

End Conn: 1/4" * 1/2" * 3/4" * 1" NPT / BSP (Female)

Body, Bowl & Bonnet: Extruded / Investment Cast in CF8M / CF8 i.e. SS316 / SS304

Filter Element MoC: Sintered Bronze / PP; Available Sizes: 5/15/25/40 Microns

Diaphragm: Nylon reinforced Nitrile / Neoprene / Viton; SS316 Diaphragm available

Main Valve: Nitrile moulded on SS316 Plug (for Soft Seat)

Mounting: Surface / Pipe / Flat Clamp for Acturtor mount

Drain: Manual in SS304/SS316



AFR with Clamp to hold 2" Pipe "U" Clamp